ACQUIRE GOOGLE ACCESS TOKENS

Contents

Ac	quire Google Access Tokens	. 2
	Do the following instructions in any browser	. 2
	Do the following instructions in Postman	. 2
	Trouble Shooting	. 4
	5	

Acquire Google Access Tokens

Do the following instructions in any browser

- URL to gain access code
 https://accounts.google.com/o/oauth2/auth?response_type=code&client_id=68852562806g4of23s9o7k31b0v0k1g6hh0me2lp3jv.apps.googleusercontent.com&redirect_uri=https://scooters.com&scope= https://www.googleapis.com/auth/content&access_type=offline&approval_prompt=force&include_granted_scopes=true
 - a. Google client id (first yellow highlight)
 - b. Your Commerce Store Front (second yellow highlight)
 - c. Offline and online parameter. Depending if the site online or offline you may need to change this value. If the token retrieval process doesn't respond with a refresh token then this value may have to toggle this value.

Note: Make sure your updates are between the "=" and "&"

- 2. Copy the edited URL into your browser and hit <enter>
 - a. Enter your Gmail id that you created your Merchant Center account when prompted.
 - b. You may be prompted to hit continue several times. Please click Continue when prompted.
 - c. These actions will take you to your Commerce web site if online or not.
- 3. In the address URL there will be a code that we'll need to get the token and refresh token.



Do the following instructions in Postman

- 1. Open Postman and import the artifact Get Google Token.postman_collection.json
- 2. Update the following entries in the Postman service

- 1 Update google client id
- 2 Update google client secret
- 3 Update code that you captured above
- 4 This is the URL to your Commerce Store Front

🥝 Postman									
File Edit Vie	w Help								
🥖 Hom	e Workspaces ~ API	Network Y Re	eports Explore	Q Search	Postman	linvite	ଁ 👶 🇘 🎯	Upgr	ade v
°⊖ Workspace2 New Import			Overview	:counts × +	000		No Environment		~ ©
Collections	+ =	000	Get Google Token / https://accounts.goo	gle.com/o/oauth2/tok	en		🖺 Save 🗸 🚥	/	
0 00 APIs	> Get Google Token		POST ~ https://accounts.goog	le.com/o/oauth2/token				Send	×
			Params Authorization Headers (8)	Body Pre-requ	uest Script Tests Settings			Cooki	ies
Environments			none e form-data x-www-form-	urlencoded 🔍 raw	binary GraphQL				i
			KEY		VALUE	DESCRIPTION		aao Bulk	Edit
Mock Servers			grant_type		authorization_code				1
4			client_id	1	69952562806-g4qf23s9o7k31b0v0k1g6hh0me2lp3jv.ap				
Monitors			client_secret	2	9Z9Gh02VMLZuH7EE-N2ww9xY				
P{a			Code	3	4/0AX4XfWi7n-EPdgWtM6TXOXENC1AUKxmmCg39HVA				
FIONS			redirect_uri	4	https://scooters.com				
History			Key		Value	Description			
			Response						~

3. In the service response after hitting the **Send button** – the result should be like the result below

{

"access token":

"ya29.a0ARrdaM80TD4olegqcpSpT3XiueSqkYaCSkZ3YtrfxE8qmgghNQ8_yeNuamhGqTdOFN44R1 VpvEijjnE1RqEVDre3nEvacDDERu8q7wBMj3M5i4bPjsdzV2lRugQWvjd1dp6TaCqs5gm02atrCBWv OSfHryFT",

"expires_in": 3599,

"refresh_token": "<mark>1//0dGbfq9G8nATVCgYIARAAGA0SNwF-</mark> L9IraMxkhIN54V8QnOGO12ZiBHEd87OrZMSkRO0lKcvLbf-jtM1_GsxN7ZyJQdm6FjDA07M["],

"scope": "https://www.googleapis.com/auth/content",

"token_type": "Bearer"

}

Note: We are interested in both the token and refresh token. These will be added to the parameters in the Service Build definition within Link.

Trouble Shooting

- 1. Go to the page showing Apps with access to your account: https://myaccount.google.com/u/0/permissions.
- 2. Under the Third-party apps menu, choose your app.
- 3. Click Remove access and then click Ok to confirm
- Repeat the URL to gain access code section above, the next OAuth2 request you
 make will return a refresh_token (providing that it also includes the
 'access_type=offline' query parameter.